


For a correctly sized printout, adjust Adobe Acrobat Reader's Print Menu settings as shown here:



Using these settings, print only page 2 and/or 3 of this document.

ThromboType[®] plus 12


VER 3.0

00341-0308-02-6

--	--	--

dd mm yyyy

#			
---	---	---	---



FV G1691	FV 1691A	FII G20210	FII 20210A	MTHFR C677	MTHFR 677T	MTHFR A1298	MTHFR 1298C
----------	----------	------------	------------	------------	------------	-------------	-------------

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

--	--	--	--

--

--	--	--	--	--	--	--	--

LOT _____
  HYB _____ min
  STR _____ min
  SUB _____ min
  _____

